... 14 Date:

Monday, 6/5/2006 11:00:46 AM

User:

Kim Johnston

## **Process Sheet**

Customer

: CU-DAR001 Dart Helicopters Services

Job Number : 27402 **Estimate Number** 

: 11866

P.O. Number

: NIA

: 6/5/2006 This Issue

Prsht Rev. First Issue

: NIA

: 27313

S.O. No. : NA

: SMALL /MED FAB Type

Part Number **Drawing Number** 

**Drawing Name** 

: D23973 : D2397 REV C

**Project Number** 

: N/A

: RUBBER SPACER

**Drawing Revision** Material

: C AIU:

**Due Date** 

: 6/12/2006

Qty:

10 Um:

Each

Written By

**Previous Run** 

Checked & Approved By

Comment

New Issue DM

**Additional Product** 

Job Number:



Seq. #:

**Machine Or Operation:** 

Description:

Cushion

1.0

2.0

D2397

Comment: Qty.:

1/16" NEOPRENE D2397

0.0416 sf(s)/Unit Total: 0.4160 sf(s)BATCH:

SMALL FAB 1

SMALL & MEDIUM FAB RESOURCE 1

06/06/06

Comment: SMALL & MEDIUM FAB RESOURCE 1

Cut and punch per Dwg D2397 using Template DT 8199 and Punch DT 8200

INSPECT WORK TO CURRENT STEP

3.0

QC5



Comment: INSPECT WORK TO CURRENT STEP

4.0

PACKAGING 1

PACKAGING RESOURCE #1

D

Identify and Stock

Location: GA

Comment: PACKAGING RESOURCE #1

DOCUMENT CONTROL

5.0

DC

Comment: DOCUMENT CONTROL

Inspection Level 21

Job Completion



(1 Decoles

## **Dart Aerospace Ltd**

W/O:		WORK ORDER CHA	WORK ORDER CHANGES						
DATE	STEP	PROCEDURE CHANGE	Ву	Date	Qty	Approval Mfg / Design Mgr	Approval QC Inspector		
2									

NCR:			WORK ORDI	ER NON-CONFORMAN	CE (NCR)		-	
DATE	STEP	Description of NC	Corrective Action Section B			Verification	A	Annuaral
		Section A	Initial Design Mgr	Action Description  Design Mgr	Sign & Date	Section C	Approval Design Mgr	Approval QC Inspector
							-	
				*				
				•				

Part No:	PAR #:	Fault Category: No	CR:	Yes (No) DQA:	Date: <u>06/06/07</u>
NOTE: Date & initial all entries				QA: N/C Closed:	Date:




DESIGN BW	DRAWN BY	DART AEROSE HAWKESBURY, ONTAF	
CHECKED	APPROYED	DRAWING NO. D2397	REV. C SHEET 1 OF 1
DATE		TITLE	SCALE
98.12.03		RUBBER CUSHION	2:3
. 1			

RELEASED 98.12.14 LED

67

98.1	2.03	RUBBER CUSHION 2:3
Α	95.03.22	NEW ISSUE
В	96.02.16	ADDED D2397-3
C	98.12.03	D2397-3 REDESIGNED; ADDED D2397-5




D2397-5 USING DT8198 CUT

P/N 251000002) NOTED

(POSSIBLE SUPPLIER: ACCURATE RUBBER, F TOLERANCES PER DART QSI 018 UNLESS OTHERWISE

MATERIAL: 60 DUROMETER NEOPRENE 1/16" THICK



0.80 USING DT8199 02397-3 3.6 89 UNCONTROLLED COPY